Print & Check

1. No matter what software you use to print, set your print scaling size to "100%" or "none scale" or "actual size"

2. After printing the layout, use your ruler to measure whether the 10cm or 5in line segment in the figure matches.

Print size confirmation



ZT Leather

ztleather.co
facebook.com/groups/ztleather
youtube.com/@ztleather

Tools & Materials

Leather Suggest

Thickness: 1.8mm, 1.6mm, 0.6mm
Type: Vegetable Tanned

Tools

Penknife
Cutting Knife
Utility Knife
Cutting Mat
Hammer
Leather Holes Punch(1mm, 3mm, 9mm)
Needle and Thread
Sandpaper
Leather Burnisher
Adhesive Eraser
3M Spray Mount

Treatment Agent

Leather Finish

Else Parts

Two-Way Zipper

471 mm

Button Stud



x20

D-Ring



x2


L


B1
1.8mm
B1
1.8mm
B1
1.8mm
A-1
1.8mm
R
A-2
1.8mm




B1
1.8mm
B1
1.8mm
B1
1.8mm
B1
1.8mm



Zipper fitting tool (use thick paper)

B1
1.8mm
B1
1.8mm
B2
0.6mm
B2
0.6mm


B2
0.6mm


B2
0.6mm


B2
0.6mm


B2
0.6mm


B2
0.6mm


B2
0.6mm


B2
0.6mm


B2
0.6mm

Drawing Notation

	cut line
	punch hole position
	position marking
A1, A2...	cutting piece number
	trim lines for imposition
	fitting position
	3.5mm hole for Button Stud
0.6mm	thickness
	trench line