

Phone Bag Crafting and Hardware Instruction

Hardware

20 mm D Ring (2 pcs)

Hidden Magnetic Snap 20 mm (2pcs)

35 cm (13.7") Zipper #5

Rivet (4 pcs)

25 mm (1") Swivel Snap Hooks (2pcs)

25 mm (1") Metal bag buckle (center bar) (1pcs)

#Use the 1.6 mm - 2.0 mm (4-5 oz) thickness leather for the best outcome


#For this phone bag, I recommend using one of these 3 different leather types.

-crazy horse leather


-full-grain leather

-vegetable-tanned leather

you need approximately 25 desi/ 2.5 ft² leather



- Use Adobe Reader to open digital files and print the pattern (ACTUAL SIZE).
- You can print the pattern A4 size or US Letter size. Choose the right one for you.
- Paste pattern on a thick paper.
- Cut out paper pattern pieces and punch the stitching holes like in the photo.
- Pattern ready.



- Place the pattern on the leather and stick it with tape.
- Punch the stitching holes.
- Cut out all of the leather pieces.
- You are doing great!!!




- Prepar to the magnet pieces, magnet and phone pocket piece.



- Some glue to the magnet pieces and magnet.



- Glue the magnet pieces and magnet.



- Trim magnet piece. Apply glue to magnet piece and phone pocket piece like in the photo.



- Glue magnet piece to the phone pocket piece.



- Punch the stitching holes in the phone pocket piece.



- Stitching



- Stitching



- Prepare gusset pieces and phone pocket piece.



- Stitching



- Stitching



- Stitching



- Like this



- Stitching



- Phone pocket reeady.



- Prepare phone pocket and main body front piece.



- Stitching.



- Stitching.



• Stitching.



• Like this.



• Stitching.



• Stitching.



• Stitching.



- Stitching.



- Like this.




- Prepare phone pocket cover pieces, reinforcement piece and magnet.
- Don't forget to check the polarity of the magnets.



- Apply glue to pieces like in the photo.



- Glue the pieces like in the photo.



- Like this.



- Like this.



- Like this.



- Trim the cover piece.



- Punch the stitching holes in the cover piece.



- Stitching.



- Stitching.



- Prepare phone pocket cover piece and main body front.



- Stitching.



- Stitching.



- Like this.



- Nice work!!!



- Prepare main body back piece and card slot piece.



- Stitching.



- Stitching!



- Prepare main body back piece and D Ring pieces.



- Some glue to the D Ring pieces.



- Glue D Ring pieces.



- Place D Ring piece like in the photo.



- Stitching!



- Stitching!



- Main body back ready.




- Prepare zipper gusset piece and zipper.




- Apply some glue zipper gusset piece and zipper like in the photo.



- Glue zipper to the zipper gusset piece.



- Punch the stitching holes in the zipper section.



- Stitching!




- Stitching!



- Stitching!



- Zipper piece ready.



- Punch the stitching holes in the zipper gusset piece.



- Prepare zipper gusset piece and gusset bottom piece.



- Glue the bottom gusset piece to the zipper gusset piece with the help of a needle.



- Like this.



- Stitching!



- We are here!!!



- Prepare gusset piece and front main body piece.



- Start stitching like in the photo. The marked places must coincide.



- Stitching!



- Stitching!



- Stitching!



- Stitching!



- Look like this.



- Look like this.



- Prepare gusset piece and main body back piece.
- Start stitching like in the photo. The marked places must coincide.



- Stitching!



- Stitching!



- Nice work!!!
- Prepare strap.
- Phone bag ready!!!