

TOOKA PATTERN

NAME	DIFFICULTY	DATE	ON SOCIAL
Waist Bag	● ○ ○	Sep 29 , 2025	#tookapattern

DIMENSION :

- Main Body (L 31 × W 22 cm)
- Flap (L 22 × W 15 cm)
- Inner Flap (L 22 × W 7cm)
- Waist Strap(L110 × W3.6 cm)
- Strap (L17.5 × W2.2 cm) x2
- Gussets (L13 × W7.5 cm) x2
- Strap Loop(L6.5 × W5 cm)
- Belt Loop (L4 × W3 cm) x2



• Faux Leather :

"If you're using faux leather, you'll need approximately 50 x 50 cm of leather."

• Natural Leather :

"If you're using natural leather, you'll need 2 square feet of leather."

• Polyester Leather/ Waxed Thread :

"You'll need approximately 140 centimeters of thread."

• Canvas Strap :

"We sew a leather layer onto the canvas strap"

• Plant-based Adhesive :

"Plant-based glue provides better adhesion and has less odor, making it more suitable for working in small spaces."

• Edge paint :

"Apply edge paint to the edges of the bag using a suitable edge painting tool."


• Magnetic button :

"Feel free to use a medium magnetic button for this project."

• Buckle :

"Use a 2.5 cm buckle for this project."

PATTERN MEASUREMENT PLAN :



SEWING VIDEO TUTORIAL :



Copy paste the link to watch the video tutorial
https://youtu.be/pQWadLm_RQY?si=e0YnqoPu4Um3mxZz


SEWING TUTORIAL :

- 1-Print the pattern file and cut out the main bag pattern with scissors.
- 2-Place the patterns on the leather with a small gap between them (grain side up for genuine leather / flesh side up for faux leather).
- 3-Trace carefully around the pattern using a gel pen or an awl.
- 4-Cut the leather with a sharp utility knife, following the gaps left between the pieces.
- 5-Skive the cut pieces using a skiving machine or by hand.
- 6-Cut the skived pieces again with the knife, making sure the pen marks are trimmed away.
- 7-Glue the two flap strap layers together, crease the edges, and apply edge paint.
- 8-Stitch the strap onto the flap.
- 9-Fold the strap loop in half, crease the edges, and attach it to the flap.
- 10-Attach the magnetic snap button to the inside of the flap.
- 11-Glue the flap to the flap inner body piece and trim off the excess.
- 12-Crease the inner and outer flap edges, apply edge paint, and stitch.
- 13-Attach the second part of the magnetic snap button to the main body.
- 14-Fold the belt loop in half, crease the edges, glue it to the main body, and stitch.
- 15-Glue the finished flap to the main body and stitch.
- 16-Cut the lining according to the instructions in the next pages.
- 17-Glue the lining to the main body and gussets.
- 18-Fold 1 cm of the top edge of the main body and gussets, crease, and stitch.
- 19-Crease around the main body and gussets.
- 20-Glue the gussets to the main body, stitch them in place, and apply edge paint.
- 21-Fold the waist strap, glue it onto the canvas strap, stitch, and attach the buckle.

And you're done! 🎉

PATTERN :



Print the following pattern on A3 paper.



See the **Continuation of the Patterns** on the next page, friends!

PATTERN :

Print the following pattern on A3 paper.




***LINING PATTERN :**

For the main body lining: 28 x 21
For the side panels lining: 6.5 x 11

See the **Continuation of the Patterns** on the next page, friends!

PATTERN :

Print the following pattern on A3 paper.



GOOD LUCK !

I hope I was able to help you.
Stay tuned, and I'll teach you how to make the **Bifold Card Holder** next week!

Follow us on other social media platforms :

