

TOOKA PATTERN

NAME	DIFFICULTY	DATE	ON SOCIAL
Long Flap Wallet	● ○ ○	Nov 14 , 2025	#tookapattern

DIMENSION :

- Main Body (L19.9 × W 19 cm)
- Top Card Slot (L19× W6.2 cm)
- Bottom Card Slot (L19× W6.2 cm)x2
- Card Slot Base (L19× W8.2 cm)
- Inner Flap (L19× W7 cm)
- Flap (L19× W 12 cm)
- Pocket (L19× W 6.5 cm)
- Gussets (L10× W 8.2 cm)x2



- **Faux Leather :**

"If you're using faux leather, you'll need approximately 50 x 40 cm."

- **Natural Leather :**

"If you're using natural leather, you'll need 2 square feet of leather."

- **Polyster Leather/ Waxed Thread :**

"You'll need approximately 250 centimeters of thread."

- **Plant-based Adhesive :**

"Plant-based glue provides better adhesion and has less odor, making it more suitable for working in small spaces."


- **Edge paint :**

"Apply edge paint to the edges of the bag using a suitable edge painting tool."

- **Magnetic button :**

"Feel free to use a medium magnetic button for this project."

PATTERN MEASUREMENT PLAN :



SEWING VIDEO TUTORIAL :



Copy paste the link to watch the video tutorial
https://youtu.be/JFDGOFUUMEA?si=_cUi5kDxB8z_pxf8

SEWING TUTORIAL :

1-Print the pattern file and cut out the main wallet template.

2-Arrange the patterns on the leather with a little space between them (for genuine leather, place them on the grain side / for synthetic leather, on the back side).

3- Trace around the templates carefully using a gel pen or an awl.

4-Cut along the marked lines with a sharp cutter.

5-Skive the cut pieces using a skiving machine or by hand.

6-Trim the skived leather again so that the pen marks are removed.

7-Attach the magnetic snap button to the inner flap and the main body.

● Click on this link to watch the video: <https://youtu.be/Q2W9ZJ4RsyE>

8-Glue the inner flap lining to the flap and trim the curved edges.

9-Mark the inner and outer edges of the flap with a creaser, apply edge paint, and then sew.

10-Glue and stitch the finished flap to the main body.

11-Fold the upper and lower card slots, mark the edges with a creaser.

12-Glue the card slots step by step in a stair pattern onto the card base and sew.

13-Edge paint and stitch the top edge of the prepared card section, then glue it to the main body.

14- Crease and edge paint the top edge of the pocket, then glue it to the main body.

15-Fold the gussets, crease them, and glue them to the main body.



16-Sew the wallet edges and smooth them with sandpaper.

17-Apply edge paint again and finish by sewing or vice versa.

And you're done! 🎉

PATTERN :




Print the following pattern on A3 paper.



See the **Continuation of the Patterns** on the next page, friends!

PATTERN:



Print the following pattern on A3 paper.



See the **Continuation of the Patterns** on the next page, friends!

PATTERN :

Print the following pattern on A3 paper.



*LINING PATTERN:

- x3 • For the card slots: 18 x 4.5
• For the card slot base: 18 x 8

GOOD LUCK !

I hope I was able to help you.
Stay tuned, and I'll teach you how to make the **Card Wallet** next week!

Follow us on other social media platforms :



@t00kaleather



@tookaleather



@tookaleather